

## **REMARKS**

This is intended as a full and complete response to the Office Action dated January 13, 2005, having a shortened statutory period for response set to expire on April 13, 2005.

Claims 4 are currently amended in the Application

Claims 1-6 are pending in the Application.

### **I. Claim Drawings**

The drawings have been amended to recite separate figure numbers for figures 9, 10, and 11. Additionally, all figures numbers have been changed and replacement sheets are attached to the end of this response.

### **II. Specification**

The specification has been replaced with replacement specification attached to the end of this office action. Replacement sheets of the figures are attached to the end of this response.

The Detailed description and the Drawings have been changed to correspond to each other properly. Additionally the Brief description of the drawings has also been revised to properly correspond to the new figure numbers.

### **III. Claim Objections**

Claim 4, has been amended to remove the period and insert a semicolon and has removed the recitation of "said other layer is wire" as examiner Bomar has suggested.

### **IV. Double Patenting**

Claims 1, 2, 4, and 5 stand rejected under obviousness type double patenting as being unpatentable over US application Number 10/370,142 . Applicant has included a terminal disclaimer. Applicant believes that this overcomes the double patenting rejection.

Reconsideration of this Application with the amended claims in view of the remarks expressed throughout this Response is respectfully requested.

Respectfully submitted,

Date: 2/28/05

Wendy Buskop

Wendy K. Buskop  
Patent Attorney  
Reg. No. 32,202

Please mail correspondence to:  
Wendy K. Buskop  
Buskop Law Group, P.C.  
1717 St. James Place, Suite 500  
Houston, Texas 77056  
713.403.7411